



Contact person
Richard Dawson
Sustainable Built Environment
+46 10 516 57 11
Richard.Dawson@sp.se

Date Reference 2015-06-29 5P05556-B

Page 1 (4)



SIA "Stali" Kingas, Priekulu pagasts, Priekulu novads LV-4126 Latvia

# Determination of air permeability, watertightness, resistance to wind load and operating forces

(2 appendices)

#### Test object

(See attached figures, description an drawings in appendices)

Manufacturer: SIA "Stali".

Type: IV 105 double outwards opening side hung

window with middle post.

Left hand window has two old style locking hardware IPA hooks, see figure 3 in appendix 1


Size: 1180 x 1180 mm.

Condition at arrival: No visible damage. Date of arrival: 2015-06-17 / 2015-08-28 Date of testing: 2015-06-26 / 2015-09-03

SP's serial number: 1883.

The test object was chosen and supplied by the client and mounted in the test rig by SP.

The watertightness re-test was carried out in accordance with NVDK requirements, with air tightening on the outside face only of the test object see figures 5-6 in appendix 1.



## Watertightness according to SS-EN 1027 method A up to 600 Pa

Point A: Leakage between frame and sash

Leakage degree 1 after three minutes at 200 Pa

Leakage grading

0 No leakage

3 Minor run

1 One or a few drops

4 Minor flow

2 Several drops 5 Considerable flow

The window meets the requirements for class 9A according to SS-EN 12208.

#### SP Technical Research Institute of Sweden

Postal address SP

Box 857 SE-501 15 BORÅS Sweden Office location

Västeråsen Brinellgatan 4 SE-504 62 BORÅS Phone / Fax / E-mail +46 10 516 50 00 +46 33 13 55 02

info@sp.se

Laboratories are accredited by the Swedish Board for Accreditation and Conformity Assessment (SWEDAC) under the terms of Swedish legislation. This report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.



## Watertightness re-test (2015-09-03) according to SS-EN 1027 method A up to 600 Pa, with air tightening on outside face according to NVDK requirement

Point B: Leakage between frame and sash

Leakage degree 1 after four minutes at 450 Pa

Leakage grading

0 No leakage

3 Minor run 1 One or a few drops 4 Minor flow

2 Several drops

5 Considerable flow

(see figures 5-6 in appendix 1)

The window meets the requirements for class 9A according to SS-EN 12208.

#### Resistance to wind load according to SS-EN 12211 class 3

Deflection test up to 1200 Pa

Pressure, Pa	Deflection, mm	
	Upper horizontal casement member, (measuring length = 1035 mm)	Hinge side vertical casement member, right hand window, as seen from inside (measuring length = 1035 mm)
0	0.1	0.1
1200 positive pressure	0.3	0.2
1200 negative pressure	-0.1	0.0

The maximum relative frontal deflection was 0.19 per mille (requirement: <3.3 per mille according to SS-EN 12210 class C)

#### Repeated pressure test up to 600 Pa and storm safety test up to 1800 Pa

No damage noted.


The window meets the requirements for class C3 according to SS-EN 12210.




## Air permeability according to SS-EN 1026 up to 600 Pa

#### Before wind load:

#### After wind load:





The window meets the requirements for class 4 according to SS-EN 12207 both before and after wind load

## Operating forces according to SS-EN 12046-1

Right hand window with handle, as seen from inside face:

Opening torque (mean value of three measurements) = 1.5 Nm

Closing torque (mean value of three measurements) = 3.2 Nm

The window meets the requirements for class 1 according to SS-EN 13115

(opening and closing torques shall be maximum 10 Nm).



#### Conditions of test

The test results refer only to the tested object.

Equipment used:

Test rig invnr 202206 and measuring equipment invnr

200746

Air tightening against the

test rig:

Estimated error margin:

Air pressure difference  $\pm 2$  Pa and air flow  $\pm 5$  %

Test climate:

(2015-06-26)

Air temperature 20,5 °C, RH 42 %, air pressure 994 hPa

(2015-09-03)

Air temperature 20,5 °C, RH 42 %, air pressure 994 hPa

Water temperature:

According to the standard

On the test objects inside face.

Conditioning:

Laboratory climate after arrival to SP

## SP Technical Research Institute of Sweden Sustainable Built Environment - Building Physics and Indoor Environment

Performed by

Richard Dawson

Hans Brolin

### **Appendices**

Appendix 1: Figures of the test object.

Appendix 2: Description, drawings and material technical information of the test object.



## Description of test window\*

Manufacturer:

Sia "Stali"

Type designation:

IV105 side hung

**Drawing No:** 

105\_SH\_1,105\_SH\_2,105\_SH\_3,105\_SH\_4,105\_

SH 5,105 SH 6

Type of opening:

Side hung- outward opening

Outer dimensions of frame (wxh):

1180 x 1180

Joint length between sash and frame:

mm

Material in sash/panel:

Pine

Material in door sill:

Material in frame:

Pine

Surface treatment:

Paint-automatic paint spraying booth

Corner joints

Frame (type and tightening):

Tenoning

Sash (type and tightening):

Tenoning

Tightening strip

Make and type:

OL3004

Material:

Combinated

Glazing

Single glass. Make and type:

4mm

Sealed glazing unit. Make and type:

3k4LowE+4+4LowE CHR 36 mm

Jointing material:

ParasilicoAM851T

Glazing bead:

Polybase

Hardware

Mixed

Hinges:

Kurzemes atslega 1

Closing device:

Fix espagnolete, IPA hooks

Striking plate:

FIX

Supply air device:

Mounting instructions:

Stali, Ltd Instructions for instalation an use of

wooden windows and doors.

Other comments:

Spilka Safety catch for side hung windows

<sup>\*</sup> Description made by: ULDIS BABRIS / STALI. LTD/ TECHNICAL MANAGER